

KUBOTA CORPORATION

EXECUTIVE ORDER U-R-025-1037

New Off-Road Compression-Ignition Engines Page 1 of 1

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2023	PKBXL06.1C5D	6.124	Diesel	8000				
SPECIAL	FEATURES & EMISSION C	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION					
Gas Re Contro Oxidation	ic Direct Injection, Turb circulation, Charge Air I Module, Periodic Trap n Catalyst, Selective Ca Jrea, Ammonia Oxidatio	Cooler, Electronic Oxidizer, Diesel Italytic Reduction –	Tractor					

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION			I	EXHAUST (g/kw-l	OPACITY (%)				
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
56 ≤ kW < 130	Tier 4 Final	STD	0.19	0.40	N/A	5.0	0.02	N/A	N/A	N/A
		CERT	0.000	0.14		0.2	0.01	1		

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 3/st day of May 2022.

Folmo Sahi for Allen Lyons, Chief

Emissions Certification and Compliance Division

Attachment: Engine Models EO #: U-R-025-1037 Family: PKBXL06.1C5D Attachment Last Revised: 5/10/2022

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power -		Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -				
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Fuel Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD	GHG	Special	Notes
V6108-CR-TI-DV	V6108-CR-TI-DV01		I-4	6.124	Liters	129	kilowatt	2200	135.5	mm3/stroke	711	N-m	1200	162	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV02		I-4	6.124	Liters	125.4	kilowatt	2200	131.8	mm3/stroke	690	N-m	1200	157	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV03		I-4	6.124	Liters	110.6	kilowatt	2200	116.7	mm3/stroke	607	N-m	1200	137	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV04		I-4	6.124	Liters	105.5	kilowatt	2200	111.5	mm3/stroke	586.1	N-m	1500	136	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV05		I-4	6.124	Liters	98.1	kilowatt	2200	104.5	mm3/stroke	544.1	N-m	1500	125	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV06		I-4	6.124	Liters	129	kilowatt	1900	143.7	mm3/stroke	711	N-m	1500	153	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV07		I-4	6.124	Liters	125	kilowatt	1900	138.7	mm3/stroke	689	N-m	1500	148.4	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DV	V6108-CR-TI-DV08		I-4	6.124	Liters	110.3	kilowatt	1900	122.3	mm3/stroke	600	N-m	1500	129	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DW	V6108-CR-TI-DW00		1-4	6.124	Liters	129	kilowatt	1900	139.6	mm3/stroke	730	N-m	1500	162.4	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DW	V6108-CR-TI-DW02		I-4	6.124	Liters	129	kilowatt	1900	139.6	mm3/stroke	711	N-m	1500	154.3	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DW	V6108-CR-TI-DW03		I-4	6.124	Liters	125	kilowatt	1900	135	mm3/stroke	689	N-m	1500	148.6	mm3/stroke	N/A	N/A	N/A	N/A
V6108-CR-TI-DW	V6108-CR-TI-DW04		I-4	6.124	Liters	110.3	kilowatt	1900	119	mm3/stroke	600	N-m	1500	129.4	mm3/stroke	N/A	N/A	N/A	N/A